



Johnson Outdoors Marine Electronics, Inc. • 121 Power Drive • Mankato, MN 56001 • cannondownriggers.com

**CANNON CONSUMER
& TECHNICAL SERVICE**

P.O. Box 8129
Mankato, MN 56002

121 Power Drive
Mankato, MN 56001
Phone (800) 227-6433
Fax (800) 527-4464

**CANNON DEALER
& DISTRIBUTOR SERVICE**

Phone (800) 493-6686
Fax (800) 451-0387

555 Main Street, Suite 241
Racine, WI 53403
Phone (800) 299-2592
Fax (262) 631-6609

**JOHNSON OUTDOORS INC.
CANADA**

4180 Harvester Road
Burlington, Ontario L7L 6B6
Phone (905) 634-0023
Fax (905) 634-0261

Cannon Cover, Digi-Troll, Easi-Troll, Flash Weights, Lake-Troll, Magnum 10, Mini-Mag, Mini-Troll, Quick Release, Quick Stacker, Retro-Ease, Sport-Troll, Terminator Kit and Uni-Troll are trademarks of Johnson Outdoors Marine Electronics, Inc.

Cannon is a registered trademark of Johnson Outdoors Marine Electronics, Inc.

Velcro is a registered trademark of Velcro Industries B.V.

Specifications are subject to change without notice.

©2010-2014 Johnson Outdoors Marine Electronics, Inc. All Rights Reserved

Printed in the U.S.A.



MIX
Paper from
responsible sources
FSC® C015197



2015

BEFORE WE EVER TALK ABOUT OUR DOWNRIGGERS, WE LISTEN TO THE PEOPLE WHO USE THEM EVERY DAY. WHETHER YOU'RE SEARCHING OPEN WATER FOR WALLEYE, TROLLING THE GREAT LAKES FOR SALMON OR BRAVING THE RIGORS OF SALTWATER FOR KINGFISH, WE ENGINEER OUR DOWNRIGGERS TO RUN FASTER, LONGER AND MORE ACCURATELY—AND WE DO IT TO MAKE YOU A BETTER FISHERMAN. WE HAVE THE SAME PASSION THAT PUTS YOU ON THE WATER DAY AFTER DAY. AND AT CANNON,

IT RUNS DEEP.

LOOK OUT BELOW

Fish will never know what hit 'em. But you will. Check out our full line of ingenious, powerful electric downriggers: **DIGI-TROLL 10**, **DIGI-TROLL 5** and **MAGNUM** (pages 6-11).



Explore Cannon on Facebook, Twitter or YouTube, or visit us at cannondownriggers.com.

CONTENTS

CANNON EDGE/CANNON TECHNOLOGIES	4	MANUAL DOWNRIGGERS	12-13
USING A DOWNRIGGER	5	ROD HOLDERS AND TRACK SYSTEMS	14-15
DIGI-TROLL 10	6-7	MOUNTS, BASES AND LINE RELEASES	16-17
DIGI-TROLL 5	8-9	ACCESSORIES	18-19
MAGNUM	10-11		

CANNON EDGE. FASTER. TOUGHER. SMARTER.

DOWNRIGGERS ARE BUILT TO GET YOUR LURE IN THE STRIKE ZONE AND KEEP IT THERE. AND THANKS TO CANNON EDGE DESIGN, OURS DO THE JOB BETTER THAN ANY OTHER. MEET THE ULTIMATE WEAPON IN CONTROLLED DEPTH FISHING.

ULTRA-FAST RETRIEVAL SPEED

Retrieve your Cannonball weight at a staggering 250 feet per minute – because when the fish hit, you can't be caught waiting.

BUILT TO TAKE ON ANYTHING YOU CAN DISH OUT

When the bite is on, your equipment better have your back. With Cannon®, it always will. A one-piece solid composite frame, reinforced and fully enclosed electronics, brass drive gears that prevent overrun, and watertight construction deliver every ounce of power and reassurance you need. And it's all backed up with our limited lifetime warranty.

INTUITIVE DESIGN WORKS WITH YOU, NOT AGAINST YOU

We've ergonomically designed our downriggers to help you catch more fish. With easy spool access for quick line changes, dual axis adjustable rod holders, intuitive keypad controls*, a 180° boom end, and easy access to switches, plugs and mounting nuts, you can spend more time fishing and less time rigging.

*Available on Digi-Troll models

CANNON® TECHNOLOGIES



SHORT STOP

RETRIEVES THE WEIGHT EASILY AND AUTOMATICALLY

Just press a button and let Short Stop automatically retrieve the weight, so you can get back to fishing. It also prevents boat and downrigger damage from swinging weights.



POSITIVE ION CONTROL

EMITS A FISH-ATTRACTING FIELD OF POSITIVE IONS AROUND THE CABLE

Your boat emits negative ions, which can detract fish from coming near. Positive Ion Control fights back by releasing a field of positive ions around the cable to bring the fish back where they belong: on your line.

DOWNRIGGER TUTORIAL VIDEO


SCAN QR CODE
TO WATCH



Or visit cannondownriggers.com/downrigger


USING A DOWNRIGGER

CONTROLLED DEPTH FISHING LETS YOU GET YOUR LURE WHERE THE FISH ARE, AND KEEP IT THERE. CANNON DOWNRIGGERS ARE DESIGNED TO MAKE THE WHOLE PROCESS AS EFFORTLESS AS POSSIBLE, SO YOU CAN SPEND MORE TIME FISHING. HERE'S HOW THEY WORK.




1 ATTACH AND LOWER

To rig, attach the weight (or Cannonball) to your line with a "line release." Place the rod in the rod holder and lower the weight to your desired depth.




2 DOWN WITH THE WEIGHT

While trolling, the weight of the Cannonball keeps your lure at your desired depth and allows it to "swim" more naturally behind the weight. On some Cannon downriggers, you can cycle the weight up or down, or keep it a set distance from the bottom.



3 LINE RELEASE

Once a fish takes the lure, the line release lets go of the line and the fish is on.



4 REMOVE AND REEL

After you see that the fish is on, remove the rod from the rod holder and reel in your catch.

DIGI-TROLL 10

THE MASTERMIND

THE REDEFINITION OF DOWNRIGGER PERFORMANCE.

Turns out, you can have it all: ultra-responsive control, unparalleled strength, precise performance and revolutionary innovations. They're all yours with Digi-Troll™ 10. When the lines are down, Digi-Troll 10 gives you total control of everything you expect your downrigger to do – and a few things you never knew it could.

HIGHLIGHTS



INTEGRATED CONTROL SCREEN Digi-Troll 10's backlit LCD screen displays depth, deploy/retrieve speed, and key settings such as Positive Ion Control, line on reel and coated versus non-coated cable.



REVOLUTIONARY CONTROL FEATURES Digi-Troll 10 gives you the most comprehensive control on the water. Cycle the weight up and down at preset intervals and depths, or use Bottom Track to automatically keep your bait at a preset distance from the bottom. You can even store up to five different preset depths for easy reference.



CANNON EDGE Digi-Troll 10 is built tougher and smarter to make you a better angler. Cannon Edge Design features fewer moving parts, one-piece composite construction, a redesigned boom end and protected electronics. The removable side plate gives you easy access to the spool, while easy-to-reach switches, plugs and mounting nuts allow for quick adjustments.



ADJUSTABLE POSITIVE ION CONTROL Adjust the amount of voltage emitted with Digi-Troll 10's Positive Ion Control feature, which emits positive ions from the cable to create a fish-attracting field of energy.



DIGI-TROLL™ 10 PART NO. 1902325
Our most technologically advanced downrigger, reinforced with Cannon Edge Design.

FEATURES

Ultra-fast retrieval rate of 250' per minute	IP68 waterproof power cord
Easy-to-use illuminated keypad controls with large backlit LCD screen	20-lb weight capacity
Short Stop feature automatically retrieves the weight at the push of a button	Dual axis adjustable rod holder(s)
Waterline Zero lets you keep your weight at a set depth below the surface	Integrated ball storage hook
Five adjustable retrieve and deploy speeds	Includes mounting base and low-profile swivel base
Removable side plate for easy spool access	Includes 2 line releases and 400' of 150-lb test stainless steel cable
Digital depth counter	Corrosion-resistant construction
Heavy-duty telescopic boom extends from 24" to 53"	Limited lifetime warranty



DIGI-TROLL™ 10 TS PART NO. 1902330
Step up to the tournament series to take advantage of a stainless steel spool and telescoping boom.



TAKE COMMAND Control Digi-Troll 10 using its innovative LCD screen. Raise and lower the weight, program line amounts or adjust Positive Ion Control – all at the push of a button.





DIGI-TROLL 5

THE INNOVATOR

CONTROLLED DEPTH FISHING ENTERS THE DIGITAL AGE.

Digi-Troll 5 makes it even easier to get your lure where the fish are, from thermoclines to submerged structures. With full keypad controls and innovations like Positive Ion Control, Digi-Troll 5 is reinforced with Cannon Edge Design to put you in command of an advanced fishing system.

HIGHLIGHTS

-  **FAST RETRIEVAL RATE** Digi-Troll 5 retrieves the weight at an ultra-fast 250 feet per minute, so you can get your lines out quicker and concentrate on fishing.
-  **FULL KEYPAD CONTROL** From an integrated LCD screen, you can lower and raise the weight, control the depth, and program the amount of line you're using at the push of a button.
-  **CANNON EDGE** Digi-Troll 5 is built tougher and smarter to make you a better angler. Cannon Edge Design features fewer moving parts, one-piece composite construction, a redesigned boom end and protected electronics. The removable side plate gives you easy access to the spool, while easy-to-reach switches, plugs and mounting nuts allow for quick adjustments.
-  **POSITIVE ION CONTROL** Digi-Troll 5's Positive Ion Control emits positive ions from the cable to combat the negative ions from your boat, creating a fish-attracting field of energy.



DIGI-TROLL 5 TS PART NO. 1902320
Upgrade to the all-white tournament series, which includes a stainless steel spool.



DIGI-TROLL 5 PART NO. 1902315
Take to the water with an arsenal of innovation and power.

FEATURES

- Short Stop feature automatically retrieves the weight at the push of a button
- Waterline Zero lets you keep your weight at a set depth below the surface
- Heavy-duty telescopic boom extends from 24" to 53"
- Removable side plate for easy spool access
- Digital depth counter
- Includes mounting base and low-profile swivel base
- Includes line release and 400' of 150-lb test stainless steel cable
- Dual axis adjustable rod holder(s)
- IP68 waterproof power cord
- Integrated ball storage hook
- 20-lb weight capacity
- Corrosion-resistant construction
- Limited lifetime warranty



TAKE COMMAND
Control Digi-Troll 5 using its innovative LCD screen. Raise and lower the weight or program line amounts – all at the push of a button.

MAGNUM THE WORKHORSE

DEPENDABLE,
DURABLE AND BUILT
TO GET THE JOB DONE.

Magnum gives you the edge with a lethal combination of power and performance. Serious fishermen rely on its rugged construction, fast retrieval rate, and intelligent features like Short Stop and Positive Ion Control. We built it to be straightforward and hardworking – just like the guys who trust it every day.

HIGHLIGHTS



FAST RETRIEVAL RATE Magnum retrieves the weight at an ultra-fast 250 feet per minute, so you can get your lines out quicker and concentrate on fishing.



CANNON EDGE Magnum is built tougher and smarter to make you a better angler. Cannon Edge Design features fewer moving parts, one-piece composite construction, a redesigned boom end and protected electronics. The removable side plate gives you easy access to the spool, while easy-to-reach switches, plugs and mounting nuts allow for quick adjustments.



SHORT STOP Automatically retrieves the weight at the push of a button, so you can get right back to fishing without worrying about boat damage from swinging weights.



POSITIVE ION CONTROL Magnum's Positive Ion Control emits positive ions from the cable to combat the negative ions from your boat, creating a fish-attracting field of energy.



FEATURES

Dual axis adjustable rod holder	20-lb weight capacity
IP68 waterproof power cord	Includes line release and 250' of 150-lb test stainless steel cable
Removable side plate for easy spool access	Corrosion-resistant construction
Three-digit depth counter	Limited lifetime warranty
Integrated ball storage hook	



MAG 5 ST PART NO. 1902300
Includes 24" heavy-duty stainless steel boom and mounting base.



MAG 10 STX PART NO. 1902305
Includes mounting base and low-profile swivel base. Features a telescopic stainless steel boom that extends from 24" to 53".

MAG 10 STX-TS PART NO. 1902310
Features a stainless steel spool, mounting base, low-profile swivel base and a telescopic stainless steel boom that extends from 24" to 53".

MANUAL DOWNRIGGERS

MORE CONTROL AT EVERY TURN.

Take command of controlled depth fishing when you equip your boat with our Uni-Troll™, Easi-Troll™ or Lake-Troll™ manual downriggers. Perfect for smaller boats, each model allows for quick line retrieval and controlled, one-handed weight descent.

HIGHLIGHTS



FAST RETRIEVAL RATE Our Uni-Troll and Easi-Troll models feature an innovative design that lets you pull your lines back in with less cranking effort. The quicker you can retrieve your lines, the quicker you can get back to catching fish.



CONTROLLED WEIGHT DESCENT Get controlled, accurate bait positioning thanks to the One-Hand Clutch Deploy on all Cannon manual downriggers. It's designed to gradually, precisely lower your weight and position your lure in the strike zone.



UNI-TROLL FEATURES

- Fast, effortless 2:1 retrieval speed
- One-Hand Clutch Deploy for simple, precise bait positioning
- Enclosed boom end pulley prevents line jumping
- Easy-Access Universal Mounting Base – same as our electric models
- Dual axis rod holder – fully adjustable, both front to back and side to side

- Ergonomic crank handle
- Integrated ball storage hook
- Three-digit depth counter
- Pre-spooled with 200' of 150-lb test stainless steel cable and includes a line release
- Limited lifetime warranty

EASI-TROLL FEATURES

- Fast, effortless 1.5:1 retrieval speed
- One-Hand Clutch Deploy for simple, precise bait positioning
- Easy-Access Universal Mounting Base – same as our electric models
- Single axis rod holder – fully adjustable front to back
- Includes line release
- Enclosed boom end pulley prevents line jumping

- Ergonomic crank handle
- 24" stainless steel boom
- Three-digit depth counter
- Pre-spooled with 150' of 150-lb test stainless steel cable
- Limited lifetime warranty

LAKE-TROLL FEATURES

- 1:1 retrieval speed
- One-Hand Clutch Deploy for simple, precise bait positioning
- Includes line release and tube-style rod holder
- 8-lb weight capacity

- Quick mount tab-lock base
- Swivel-head depth counter
- Pre-spooled with 100' of 135-lb test stainless steel cable
- Limited lifetime warranty



UNI-TROLL™ 5 ST PART NO. 1901120
Get into the game with the 5 ST, featuring a 2:1 retrieval speed and a 24" heavy-duty boom.



UNI-TROLL™ 10 STX-TS PART NO. 1901140
Our Uni-Troll 10 STX-TS is built with a 2:1 retrieval speed, corrosion-resistant construction and a stainless steel spool.



EASI-TROLL™ ST PART NO. 1901020
Innovative design with a 1.5:1 retrieval speed, and One-Hand Clutch Deploy allows for controlled weight descent and accurate bait positioning.



LAKE-TROLL™ PART NO. 1901250
Utilizes a swivel-head depth counter and an 18" copolymer boom. Comes pre-spooled with 100' of stainless steel cable.



UNI-TROLL™ 10 STX PART NO. 1901130
Features a 2:1 retrieval speed, a low-profile swivel base and a heavy-duty telescopic boom that extends from 24" to 53".

ROD HOLDERS AND TRACK SYSTEMS



LOCK. LOAD. FISH.

DUAL AXIS ADJUSTABLE ROD HOLDERS — DOWNRIGGER MOUNT



Mount our dual axis rod holders between the mounting base and swivel base of your Cannon downrigger for unparalleled rod positioning. A pistol grip release allows for quick, one-handed angle changes, and the innovative ratcheting adjustment system allows you to easily pull the holder to a vertical position. Full 360° rotation makes it the ultimate fishing accessory.

PART NO. 1907024

DUAL AXIS ADJUSTABLE ROD HOLDER

Position rods vertically or easily remove them, thanks to the innovative ratcheting adjustment system on our rod holders.



360°
ROTATION



RATCHETING
ABILITY



ONE-HANDED
ANGLE ADJUSTMENT



DUAL AXIS ADJUSTABLE ROD HOLDER

Experience 360° of rotation at the push of a button with this 10" holder. It features six up and down locking positions, a pistol grip release for quick one-handed angle changes, and a ratcheting adjustment system that allows you to quickly position the holder vertically. Includes a UV-resistant end cap to protect the rod and reel.

PART NO. 1907002

SINGLE AXIS



RAIL MOUNT



SINGLE AXIS ADJUSTABLE ROD HOLDERS

This 10" holder utilizes six up and down locking positions, and delivers 90° of side-to-side rotation. Our track system workhorse, it features a pistol grip release for quick angle adjustments and a ratcheting vertical positioning system. Includes a UV-resistant end cap to protect the rod and reel.

The rail mount version fits round or square rails from 3/4" to 1-1/4"; perfect for boats with rails.

PART NOS. 1907001 (SINGLE AXIS HOLDER)
1907020 (SINGLE AXIS HOLDER WITH RAIL MOUNT)

FIXED ANGLED ROD HOLDER

Angled at 60°, with 90° of side-to-side rotation adjustment, this 10" rod holder is a staple of our innovative track system. Includes a UV-resistant end cap to protect the rod and reel.

PART NO. 1907000



ALUMINUM MOUNTING TRACK

This track uses locking grooves to prevent accessories from twisting, and allows for components to be easily removed or replaced. Includes mounting hardware.

PART NOS. 1904025 – 6"
1904026 – 12"
1904027 – 18"
1904028 – 24"
1904029 – 36"

ALUMINUM FIXED BASE DOWNRIGGER PEDESTAL

For surface or track mounting, this sturdy fixed base comes in 4" and 6" heights. The top plate is pre-drilled and tapped to allow mounting of a Cannon swivel base and downrigger (and other downrigger brands).

PART NOS. 1904030 – 4"
1904031 – 6"



ALUMINUM SWIVEL BASE DOWNRIGGER PEDESTAL

For surface or track mounting, this smooth-action swivel base rotates 360°, with 16 locking points spaced every 22.5°. The top plate is pre-drilled and tapped for mounting Cannon downriggers (and other downrigger brands).

PART NOS. 1904032 – 4"
1904033 – 6"



DECK MOUNT PLATE

This adaptable 4" x 3" plate works with Cannon dual axis rod holders, pedestal mount tracks and downrigger pedestal mounts. Plates can be mounted in a variety of locations, and a protective mounting boot lets you avoid sharp edges. Includes mounting hardware.

PART NO. 1904000



RAIL MOUNT

This convenient rail mount can attach our single axis rod holder to either round or square rails, from 3/4" to 1-1/4".

PART NO. 1904015 – 3/4" to 1-1/4"

MOUNTS, BASES AND LINE RELEASES



RIG IT UP. REEL 'EM IN.



MOUNTING BASE

MAGNUM, DIGI-TROLL, UNI-TROLL AND EASI-TROLL MODELS

Our universal base features heavy-duty composite construction for strength and UV resistance. Upgrade to the 316-grade stainless steel model for unrivaled protection against rusting, pitting and corroding.

PART NOS. 1904040 (STANDARD)
1904045 (STAINLESS STEEL)



DECK PLATE

Reinforces Cannon bases and pedestal mounts installed on thin decks and gunwales. Built with machined aluminum and powder coated to resist corrosion.

PART NO. 2200693



UNI-LINE RELEASE

Two adjustment points allow tension settings from 2 to 22 pounds. Perfect for slow trolling with live baits or going after light-hitting walleyes. Easy one-hand tension release for use on any test line in saltwater or freshwater.

PART NO. 2250009



UNI-STACKER RELEASE

All the characteristics of the Uni-Line Release, with an extra stacker clip to allow fishing at multiple depths off a single weight.

PART NO. 2250105



LOW-PROFILE SWIVEL BASE

With 16 locking points, this base allows for 360° downrigger rotation with locking positions every 22.5°. Composite components and stainless steel construction make the standard model as strong as it is versatile. Also available in a 316-grade stainless steel model for added strength and corrosion resistance.

PART NOS. 2207003 (STANDARD)
1903002 (STAINLESS STEEL)



RAIL/SIDE MOUNT

Designed to secure your downrigger to the "T" joints on rails of boats with narrow gunwales. Built with machined aluminum and powder coated to resist corrosion.

PART NO. 2250940



QUICK RELEASE™

Even in a bouncing boat, the Quick Release™ is quick and easy to use with no twisting, winding, or looping to damage your line. Adjustable tension lets you match your line weight and fishing style.

PART NO. 2250119



QUICK STACKER™

Attaches directly to your downrigger cable for stacking applications. Quick and easy to use with no twisting, winding, or looping to damage your line. Adjustable tension lets you match your line weight and fishing style.

PART NO. 2250120-1



GIMBAL MOUNTS

Mount your downrigger in 30° flush mount rod holders with our sturdy, corrosion-resistant standard gimbal mounts. For added corrosion protection, step up to the stainless steel model. Both models are available in 9" or 12" tube lengths with 1-1/2" outer diameter tube.

PART NOS. 2250927 (STANDARD, 9" HEIGHT)
2250928 (STANDARD, 12" HEIGHT)
1903005 (STAINLESS STEEL, 9" HEIGHT)
1903006 (STAINLESS STEEL, 12" HEIGHT)



CLAMP MOUNT

Secures downrigger to the gunwale or transom. Works with Lake-Troll, Sport-Troll, Legacy Easi-Troll and Mini-Mag downriggers. Built with machined aluminum and powder coated to resist corrosion. Maximum clamp opening: 2".

PART NO. 2207327



OFFSHORE LINE RELEASE

Quick and easy to set even on turbulent waters, it won't damage your line by twisting, winding or looping. Spring-loaded "clothespin" design allows for all types of fishing.

PART NO. 2250106



OFFSHORE STACKER

Adds the ability to fish at multiple depths off a single weight with the popular Offshore Line Release.

PART NO. 2250107



TAB LOCK BASE

Allows for easy removal and replacement of Lake-Troll, Sport-Troll™, Legacy Easi-Troll, and Mini-Mag™ downriggers. Built with heavy-duty composite construction for corrosion and UV resistance.

PART NO. 2207001



MOUNTING BASE

LEGACY UNI-TROLL

The standard model features heavy-duty composite construction for superior strength and UV resistance. The 316-grade stainless steel model adds the power to resist rusting, pitting and corroding.

PART NOS. 2207002 (STANDARD)
1903004 (STAINLESS STEEL)



OFFSHORE SALTWATER LINE RELEASE

Corrosion-resistant, high-tension spring is designed for heavier saltwater lines. Troll at high speeds in deep water with its heavy-duty release. Anti-fouling pins prevent line from snagging behind the gripper pads.

PART NO. 2250109



PINCH-R-RELEASE

Spring-action clip opens quickly and easily with finger pressure. The deeper the line is set back in the pads, the greater the tension. Tension settings range from 2 to 12 pounds.

PART NO. 2250111

ACCESSORIES



MINI-TROLL™
A horizontal reel/brake, 100' of stainless steel cable and a swivel-head depth counter come standard.
PART NO. 1901200



TERMINATOR SINGLE
A single termination system for one-time equipment severance.
PART NO. 2250141



FLASH WEIGHTS™
Vinyl coated to prevent scratching the side of the boat; uses reflective prism tape on the fin for extra fish attraction.
PART NOS. 2295002 - 4 lb, 2295180 - 6 lb, 2295182 - 8 lb, 2295184 - 10 lb, 2295190 - 12 lb



CABLES
Choose 150' of 7-strand, 302-grade stainless steel cable; or 200' and 400' lengths of 7-strand, 316-grade stainless steel cable. Each cable is 150-lb test.
PART NOS. 2215392 - 150', 2215396 - 200', 2215397 - 400'



BIG BODY CANNON LOCK
Locks large-bodied downriggers securely to the boat with a pin-tumbler lock. Fits Digi-Troll 10, Digi-Troll 5, Mag 5 ST and Mag 10 STX models.
PART NO. 1903020



TERMINATOR KIT™
Includes six each of the superior Cushion Cartridges, Cannon Terminators and Snap Swivels.
PART NO. 2250002



CANNON COVER™
Protect your downrigger with a professional-grade cover. It guards against the elements with a secure Velcro® fit and non-abrasive backing.
PART NOS. 1903030 (BLACK), 1903031 (WHITE)



ROD HOLDER
Three-position configuration delivers fast baitcast or spinning rod pickup. Spring-loaded tension knob allows for quick rod adjustment. Its 360° base can be top or side mounted.
PART NO. 2450169-1

ROD HOLDER ACCESSORIES
Adapt this rod holder to fit the way you fish, with these accessories.



6" Extension Post
PART NO. 1907040



Flush Mount Adapter
PART NO. 1907030



Rail Mount Adapter
PART NO. 1907050



Top/Side Mount Adapter
PART NO. 1907060



EVERYTHING YOU NEED.



DIGI-TROLL RELAY CABLES
20' cable allows networking of multiple downriggers for bottom tracking (Digi-Troll) or CannonLink Fishing System Module control.
PART NO. 019634



FLUSH MOUNT POWER PORT
Our power port allows for quick thru-hull connection to a Cannon downrigger power cable. It quickly connects to the yellow female battery end plug from your downrigger, with no need to cut or splice wires. The watertight cover and gasket shield your downrigger plug from corrosion when not in use.
PART NOS. 1903013 (WHITE), 1903012 (BLACK)



DIGI-TROLL TRANSDUCER
Provides bottom tracking ability to Digi-Troll downriggers. Network up to six downriggers to troll at set distances from the bottom through this single transducer.
PART NO. 1491072



DOWNRIGGER SPARE SPOOL
Replace your downrigger spool or grab a spare. Choose from either the standard composite spool or the Tournament Series, made from 316-grade stainless steel.
PART NO. 1903050 (COMPOSITE - BLACK) For Mag 5 ST, Mag 10 STX, Digi-Troll 5 and Digi-Troll 10 models
PART NO. 1903051 (TOURNAMENT SERIES - STAINLESS STEEL) For Mag 10 STX-TS, Digi-Troll 5 TS and Digi-Troll 10 TS models

MANUAL DOWNRIGGER SPECIFICATIONS

MODEL	RETRIEVAL RATE (FPT)	WEIGHT CAPACITY (LB)	CLUTCH/BRAKE SYSTEM	SPOOL	BOOM	CABLE (FEET)	ROD HOLDER	SWIVEL BASE
MINI-TROLL	1.0	4	YES	Plastic	12" Composite	100	NO	NO
LAKE-TROLL	1.0	8	YES	Plastic	18" Copolymer	100	Rear	NO
EASI-TROLL ST	1.5	12	YES	Plastic	24" Stainless Steel	150	Single Axis	NO
UNI-TROLL 5 ST	2.0	20	YES	Plastic	24" Heavy-Duty	200	Dual Axis	NO
UNI-TROLL 10 STX	2.0	20	YES	Plastic	Heavy-Duty Telescopic*	200	Dual Axis	YES
UNI-TROLL 10 STX- TS	2.0	20	YES	Stainless Steel	S.S. Heavy-Duty Telescopic*	200	Dual Axis	YES

FPT = FEET PER TURN * EXTENDS 24" TO 53"

ELECTRIC DOWNRIGGER SPECIFICATIONS

MODEL	RETRIEVAL RATE AT 12 LBS (FPM)	WEIGHT CAPACITY (LB)	SPOOL	BOOM	CABLE (FEET)	ROD HOLDER	SWIVEL BASE	SHORT STOP	POSITIVE ION CONTROL
MAG 5 ST	250	20	Plastic	S.S. 24" Heavy-Duty	250	Dual Axis	NO	YES	YES
MAG 10 STX	250	20	Plastic	S.S. Heavy-Duty Telescopic*	250	Dual Axis	YES	YES	YES
MAG 10 STX-TS	250	20	Stainless Steel	S.S. Heavy-Duty Telescopic*	250	Dual Axis	YES	YES	YES
DIGI-TROLL 5	250	20	Plastic	Heavy-Duty Telescopic*	400	2x Dual Axis	YES	YES	YES
DIGI-TROLL 5 TS	250	20	Stainless Steel	S.S. Heavy-Duty Telescopic*	400	Dual Axis	YES	YES	YES
DIGI-TROLL 10	250	20	Plastic	Heavy-Duty Telescopic*	400	2x Dual Axis	YES	YES	YES (ADJ)
DIGI-TROLL 10 TS	250	20	Stainless Steel	S.S. Heavy-Duty Telescopic*	400	Dual Axis	YES	YES	YES (ADJ)

FPM = FEET PER MINUTE * EXTENDS 24" TO 53"